## RELIABLE PUBLIC HEALTH SURVEILLANCE

## M. Frisén

Göteborg University, Göteborg, Sweden

Email: Marianne.Frisen@Statistics.gu.se

Systems for spatial and syndromic surveillance are needed for early detection of bioterrorism, new infectious diseases and other serious health events. Timeliness, control of false alarms and robustness are important issues. Different ways to evaluate surveillance systems are demonstrated by freeware. Swedish data on infectious diseases will be used to illustrate methods.

## References:

- Frisén, M. (1992) Evaluations of Methods for Statistical Surveillance. *Statistics in Medicine*, **11**, 1489-1502.
- Frisén, M. (2003) Statistical surveillance. Optimality and methods. *International Statistical Review*, **71**, 403-434.
- Frisén, M. and de Maré, J. (1991) Optimal Surveillance. Biometrika, 78, 271-80.
- Frisén, M. and Sonesson, C. (2005) Optimal surveillance. *Spatial surveillance for public health* (Eds, Lawson, A. and Kleinman, K.) Wiley, New York.
- Järpe, E, Bock, D, Andersson, E and Frisén, M (2006) On statistical surveillance of Swedish influenza incidences. *Manuscript*
- Sonesson, C. and Bock, D. (2003) A review and discussion of prospective statistical surveillance in public health. *Journal of the Royal Statistical Society A*, **166**, 5-21.
- Sonesson, C. and Frisén, M. (2005) Multivariate surveillance. *Spatial surveillance for public health* (Eds, Lawson, A. and Kleinman, K.) Wiley, New York, pp. 169-186.

www.statistics.gu.se/surveillance