

Index

Page numbers in *italics* refer to full bibliographic references.

- Adjustment vs. matching, 102–103
 - in experiments, 119
 - in observational studies, 121
- Adjustment by regression, 75
- Agriculture, gains in, 3
- Analysis of covariance, 10, 75. *See also*
 - Covariance
- Analysis of variance, 75
- Analytical surveys, 2, 3, 5
- Announcement, pre-treatment, effect of, 133
- Bartlett, M. S. 123, 128
- Beets, sugar, 69
- Belson, W. A., 112, 113, 128
- Bias:
 - adjustment for, 103
 - appraising, 12
 - from confounding, 74
 - consistency of, 43
 - control of, 8
 - in controls, 42
 - of differences, 17, 90
 - regression models for, 90
 - detection of, 37
 - estimating, 12, 13
 - everpresent, 26
 - examples of, 24
 - limits for, 26
 - model for, 17
 - from nonresponse, 66
 - in observational studies, 12
 - in population, 22, 23
 - removal of, 28
 - sources of, 8
- Bias effect:
 - adjustments for, 112
 - on confidence level, 26, 27
 - on significance level, 58
 - test of significance for, 28
- Bias reduction:
 - caliper matching, 88
 - matching, 85
 - mean matching, 90
 - nearest available matching, 89
- Billewicz, W. Z., 78, 82, 96, 100, 111, 117, 128
- Blindness, 8
 - of judges, 45
- Blocking, 9, 75
- Bombing raids, effect on German factories, 44
- Boruch, R. F., 121, 129
- Box, G. E. P., 136, 138
- Brain-damaged boys, 77–78
- Buck, A. A., 33, 49
- Caliper matching, 79, 88
- Call-back, 67
- Campbell, D. T., 121, 128, 130, 132, 135–138, 138, 139
- Campbell, E. Q., 14
- Cause, 1, 3
- Chi-squared tests, 108
- Classes:
 - optimum, 38

- optimum for matching, 86
- optimum sizes, 39
- Classified x's, 110
- Clusters, samples from, 61, 62
- Coca-chewing, effects of, 33, 34
- Cochran, W. G., 22, 31, 39, 49, 85-86, 96, 100, 105, 113, 118, 125, 129, 138
- Cohen, J., 111, 129
- Coleman, J. S., 2, 14
- Collier, R. M., 132, 138
- Comparability of regressions, test of, 125
- Comparison group, 42
- Comparison of treatment effects, 57
- Components of X^2 , 108
- Confidence intervals, 20, 21
- Confounding, 8, 74
 - binomial variable, 76
 - handling of, 77
 - measured variable, 74
- Connecticut, speeding crackdown in, 136-138
- Contraceptive devices, use of, 40
- Control, 7
 - by analysis, 10
 - for classified variables, 10
 - for continuous variables, 10
 - use of published statistics as, 43
- Control group, 42
- Cook, S. W., 24, 31
- Cook, T. D., 139
- Covariance:
 - adjustment for measured y's and x's, 109
 - analysis of, 10, 75
- Covariates in exploratory studies, 36
- Cox, D. R., 39, 49, 86, 96, 100
- Crackdown on speeding in Connecticut, 136-138
- Critics, use of, 71
- Curvature, effect on linear regression
 - adjustments, 113
- Curvilinearity of response, 47
- Dawber, T. R., 3, 14
- Decisions, keeping records of, 35
- Deff, *see* Design effect
- Design:
 - experimental, 4
 - of questionnaire, 66
 - of study, 35
- Design effect:
 - on sample size, 65
 - on variance, 65
- Differences, 4
 - analysis of, 6
 - bias in, 17
 - estimate of, 17
 - between population and control and treated group, 43
 - variability of, 15
- Diphtheria, immunization for, 44
- Distributions, of effects and grouping, 39
- Douglas, J. W. B., 79, 100
- Dummy variables, 110-111
- Effects:
 - direction of, 33, 34
 - sizes of, 34
- Efficiency of grouping, 39
- Emmett, B. P., 133, 139
- Erlebacher, A. E., 121, 129
- Errors in X, 118
- Errors, reducing, 9
- Estimate, 4
- Estimate of difference, 17
- Estimation vs. testing significance, 34
- Experiments:
 - agricultural, 3, 5
 - blind, 8
 - controlled, 3
 - factorial, 6
 - natural, 2
 - pseudo, 2
 - quasi, 2
 - strategy of, 3
- Factors, alternative causal, 137
- Feller, W., 82, 100
- Fischer, A. K., 14
- Fisher, R. A., 97, 100
- Framingham Study, 3
- F-test for power, 35
- Glass, G. V., 136, 139
- Goals of study, 33
- Graphs for series, 137
- Group:
 - comparison, 42
 - control, 42
 - single, after only, 130-131
- Grouping:
 - modes of, 40
 - vs. regression, 40
- Haenszel, W., 106, 129

- Hald, A., 97, 100
- Health and housing, 24
- Hill, A. B., 25, 31, 44-45, 49
- Hiroshima, dosage estimation, 131
- Hobson, C. J., 14
- Hopkins, J. A., 68, 73
- Housing:
 - effects of public, 24 and health, 24
- Hypothesis:
 - null, 19
 - of study, 33
- Immunization, diphtheria, 44
- Inference, statistical, 16
- Intervals, confidence, 20, 21
- Judges, blindness of, 45
- Keyfitz, N., 107, 129
- Kinsey, A. E., 2, 9, 14
- Kish, L., 8, 14, 29, 31, 65, 73
- Knowelden, J., 44-45, 49
- Langner, T. S., 14
- Leighton, A. H., 14
- Leprosy examination, 24
- Level, significance, 19
- Limits, confidence, 20, 21
- Lindley, D. V., 118, 129
- Logit scale, 105-106
- Lord, F., 118, 123, 129
- McNemar, Q., 96, 100
- McPartland, J., 14
- Mantel, N., 106, 129
- Mantel-Haenszel test, 106
- Martin, C. E., 14
- Matching, 9-10, 78
 - analysis of mean, 97
 - and bias removal, 115
 - caliper, 79, 87
 - degrees of, 84
 - delays in, 82
 - distortion from, 81
 - effect on variance of difference, 93-94
 - in experiments, 119
 - frequency, 76-77
 - imperfect, 80
 - kinds of variables, 78-79
 - mean, 80, 83, 97
- nearest available, 80, 83, 89, 115
- notation for, 80-81
- in observational studies, 121
- pair continuous, 95
- pair discrete, 95
- regression effect vs. nearest available, 115
- reservoirs needed, 81
- on several variables, 79-80
- time required, 81
- use of computers in, 82-83
- within-class, 84
- Measurement:
 - effect of pretrial, 133
 - quality of, 42, 45
 - after treatment only, 130
- Measurement series, before and after treatment, 131-132
- Meier, P., 104, 129
- Michael, S. T., 14
- Model, mathematical, 15, 16, 17
- Model without bias, 16
- Models, 8, 90-93
- Mood, A. M., 14
- Moser, C. A., 70, 73
- Multiple regression, 11
- Nonresponse:
 - effect on bias, 65
 - reducing, 66
- Natural experiment, 2
- Null hypothesis, 19
- Nonlinearity, test of, 37
- Objectives of study, 33
- Observational studies:
 - bias in, 12
 - definition of, 2
 - examples of, 1, 2, 32
 - need for three levels, 37
 - properties of, 2
 - single-group, 130
- Ogawa, J., 86, 100
- Opler, M. K., 14
- Pair matching, 95
- Parten, M. B., 70, 73
- Photographs, aerial, 44
- Polio, 44, 45
- Pomeroy, W. B., 14
- Population:
 - broad, 5-7

- differences between sampled and target, 68
- sampled, 4, 6, 16
- self-selected, 2
- target, 4, 6, 16
- Power, 35
 - of before-after studies, 55
 - example of, 51
 - increasing samples, 54
 - for matched samples, 54
 - of statistical tests, 36, 51
 - for two binomial samples, 53
- Power function, 51
- Precision, increased by regression adjustment, 115-116
- Premature children, 79, 80
- Pretests, 70
- Probability:
 - of significant difference, 51
 - of wrong conclusion, 52
- P-value, 18
- Quasi experiments, 2
- Radiation, aftereffects of, 38
- Randomization, 7, 17
 - in blocking, 10
- Record keeping of treatment levels, 41
- Records:
 - of decisions, 35
 - pilot study of, 71
- Regression:
 - component in contingency tables, 108
 - curvilinear, 11
 - vs. grouping, 40
 - linear, 38
 - multiple, 11
- Regression adjustment vs. nearest available matching, 115
- Regression model, 8
 - for bias in differences, 90-93
- Rennie, T. A. C., 14
- Replication, 4, 6-7
- Response, 44
 - definition, 33
 - estimation of linear, 47
 - variability of, 7
- Response measurements, relevance of, 44
- Ross, H. L., 136, 137, 138, 138
- Rubin, D. B., 79, 83, 88, 100-101, 113-115, 129

- Samples:
 - independent before and after treatment, 133-134
 - nonrandom, 5
- Sample size, 36, 37, 50
 - allocation of, 37
 - binomial, 56
 - calculations, 56
 - differing costs of optimum, 57
 - effect of, 36
 - for estimation, 55-56
 - of exploratory study, 50
 - large, 8
 - optimum, 37, 57
- Sampling:
 - cluster, 62
 - nonrandom, 16
 - random, 16
- Sartwell, P., 37, 49
- Seltser, R., 37, 49
- Series, time, 136
- Significance:
 - estimation vs. testing, 34
 - level, 19
 - test of, 18
- Size, sample, *see* Sample size
- Smokers, age and death rates, 22
- Smoking, 22, 23
 - levels of, 40
- Speeding crackdown in Connecticut, 136-138
- Srole, L., 14
- Standardization to handle cell-to-cell effects, 106-107
- Standardized mortality rates for French females, 107
- Stanley, J. C., 77, 101, 130, 132, 135, 138
- Stuart, A., 96, 101
- Student's *t*, 18
- Studies:
 - before-after, 55, 131
 - danger of large size, 46
 - pilot, 70
 - power of before-after, 55
 - restriction of, 46
- Sums, weighted, 60
- Surveys, analytical, 2, 3, 5
- t*-distribution, 18
- Test:
 - effect of bias on, 28
 - one-tailed, 19, 20, 52

- Test (*Continued*)
 - power, 52
 - of significance, 18
 - vs. estimation, 34
 - strengthening of, 35
 - two-tailed, 19, 20, 52
- Tiao, G. C., 136, 138
- Time series, 136
- Timing of measurements, 46, 47
- Transformations to linearity, 109
- Treatment, 35, 36
 - definition, 33
 - degrees of, 130-131
 - form of, 41
 - level of, 40
 - measurement of, 38
 - variability, 41
- Treatments, pooling of, 41
- TV educational program, 12, 23, 24
- Variability:
 - of differences, 15
 - of response, 7
 - sources of, 7
- Variables:
 - discrete, continuous, confounding, 78
 - random, 17
- Variance of difference, effect of matching, 93
- Variances:
 - pooled, 18
 - reduced by weighting, 105
 - unequal, 110
- Variation, control of, 8
- Variation in treatment, measurement of, 36
- Walkley, R. P., 24, 31
- Weighted sums, 60
- Weights:
 - when cell effects differ, 103-104
 - choice of, 77
 - to improve precision, 105
 - matched sample, 103
 - for pre-treatment measurement groups, 134
 - random sample, 103
- Weinfeld, F. D., 14
- Wilner, D. M., 24, 31
- Yates, F., 44, 49, 97, 100
- York, R. L., 14